







STARRES ABGASSYSTEM (STARR)

DN 60 – 315 mm

PPH

Rohr mit Muffe		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
 	250 mm	60	PPRM05	61	55	195	-	
		80	PPRM08	81	62	188	-	
		110	PPRM01	111	73	227	-	
		125	PPRM02	127	75	245	-	
		160	PPRM06	162	85	295	-	
		200	PPRM00	203	150	250	-	
		250	PPRM0V	254	260	250	-	
		315	PPRM03	319	290	250	-	
	500 mm	60	PPRM55	61	55	445	-	
		80	PPRM58	81	62	438	-	
		110	PPRM51	111	73	427	-	
		125	PPRM52	127	75	425	-	
		160	PPRM56	162	85	415	-	
		200	PPRM50	203	150	500	-	
		250	PPRM5V	254	260	500	-	
	1000 mm	60	PPRM15	61	55	945	-	
		80	PPRM18	81	62	938	-	
		110	PPRM11	111	73	927	-	
		125	PPRM12	127	75	925	-	
		160	PPRM16	162	85	915	-	
		200	PPRM10	203	150	850	-	
		250	PPRM1V	254	260	740	-	
	2000 mm	60	PPRM25	61	55	1945	-	
		80	PPRM28	81	62	1938	-	
		110	PPRM21	111	73	1927	-	
		125	PPRM22	127	75	1925	-	
		160	PPRM26	162	85	1915	-	
		200	PPRM20	203	150	1850	-	
250		PPRM2V	254	260	1740	-		
315		PPRM23	319	290	1710	-		


Revisions-T-Stück mit Revisionsdeckel		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
 	60	PPRTD5	61	65	220	40		
	80	PPRTD8	81	62	270	45		
	110	PPRTD1	111	73	237	60		
	125	PPRTD2	127	75	325	50		
	160	PPRTD6	162	85	300	145		
	200	PPRTD0	203	150	350	190		
	250	PPRTDV	-	-	-	-		
	315	PPRTD3	-	-	-	-		


Revisions-T-Stück mit Ablauf		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
 	60	PPRTA5	61	55	220	125		
	80	PPRTA8	81	62	270	162		
	110	PPRTA1	111	73	237	174		
	125	PPRTA2	127	75	325	180		
	160	PPRTA6	162	85	300	205		
	200	PPRTA0	203	150	350	240		
	250	PPRTAV	-	-	-	-		
	315	PPRTA3	-	-	-	-		


STARRES ABGASSYSTEM (STARR)


DN 60 – 315 mm


PPH

Umlenk-T-Stück mit Revisionsdeckel		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPUTD5	61	55	225	100		
	80	PPUTD8	81	62	266	130		
	110	PPUTD1	111	73	280	160		
	125	PPUTD2	127	75	330	150		
	160	PPUTD6	162	85	320	180		
	200	PPUTD0	203	150	370	230		
	250	PPUTDV	-	-	-	-		
	315	PPUTD3	-	-	-	-		

Umlenk-T-Stück mit Messöffnung		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPTM95	61	65	205	142		
	80	PPTM98	81	65	245	161		
	110	PPTM91	111	60	225	158		
	125	PPTM92	127	75	315	225		
	160	PPTM96	162	85	335	205		
	200	PPTM90	203	150	390	250		
	250	PPTM9V	-	-	-	-		
	315	PPTM93	-	-	-	-		

Umlenk-T-Stück mit Ablauf		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPUTA5	61	55	270	155		
	80	PPUTA8	81	62	346	194		
	110	PPUTA1	111	73	344	220		
	125	PPUTA2	127	75	390	195		
	160	PPUTA6	162	85	360	215		
	200	PPUTA0	203	150	420	280		
	250	PPUTAV	-	-	-	-		
	315	PPUTA3	-	-	-	-		

Verbindung-T-Stück *		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPTE95	61	65	162	103		
	80	PPTE98	81	65	197	113		
	110	PPTE91	111	60	178	113		
	125	PPTE92	127	75	248	162		
	160	PPTE96	162	85	248	164		
	200	PPTE90	203	150	410	250		
	250	PPTE9V	-	-	-	-		
	315	PPTE93	-	-	-	-		


Bogen 15°		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPSB15	61	55	60	72		
	80	PPSB18	81	62	72	65		
	110	PPSB11	111	73	89	72		
	125	PPSB12	127	75	90	70		
	160	PPSB16	162	85	100	90		
	200	PPSB10	203	150	250	170		
	250	PPSB1V	-	-	-	-		
	315	PPSB13	-	-	-	-		


* Abgang reduziert auf Anfrage


STARRES ABGASSYSTEM (STARR)


DN 60 – 315 mm


PPH

Bogen 30°		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPSB35	61	55	71	75		
	80	PPSB38	81	62	87	69		
	110	PPSB31	111	73	103	80		
	125	PPSB32	127	75	105	80		
	160	PPSB36	162	85	125	105		
	200	PPSB30	203	150	245	205		
	250	PPSB3V	-	-	-	-		
	315	PPSB33	-	-	-	-		

Bogen 45°		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPSB45	61	55	80	86		
	80	PPSB48	81	62	97	80		
	110	PPSB41	111	73	128	87		
	125	PPSB42	127	75	145	100		
	160	PPSB46	162	85	160	130		
	200	PPSB40	203	150	240	195		
	250	PPSB4V	-	-	-	-		
	315	PPSB43	-	-	-	-		

Bogen 60°		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPSB65	61	55	-	-		
	80	PPSB68	81	62	90	80		
	110	PPSB61	111	73	105	95		
	125	PPSB62	127	75	115	110		
	160	PPSB66	162	85	130	120		
	200	PPSB60	203	150	-	-		
	250	PPSB6V	-	-	-	-		
	315	PPSB63	-	-	-	-		

Bogen 87°		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPSB95	61	55	130	103		
	80	PPSB98	81	62	105	100		
	110	PPSB91	111	73	135	120		
	125	PPSB92	127	75	145	130		
	160	PPSB96	162	85	165	150		
	200	PPSB90	203	150	300	260		
	250	PPSB9V	-	-	-	-		
	315	PPSB93	-	-	-	-		

Stützbogen 87° mit EST-Auflageschiene		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPTU05	120	60	35	50		
	80	PPTU08	120	60	35	50		
	110	PPTU01	185	125	35	50		
	125	PPTU02	195	125	35	50		
	160	PPTU06	210	130	35	50		
	200	PPTU00	400	180	35	50		
	250	PPTU0V	-	-	35	50		
	315	PPTU03	-	-	-	-		

STARRES ABGASSYSTEM (STARR)

DN 60 – 315 mm

PPH

Revisions-Bogen 45°		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPRB45	55	85	55	90		
	80	PPRB48	62	125	85	105		
	110	PPRB41	73	105	59	47		
	125	PPRB42	75	115	70	70		
	160	PPRB46	85	130	65	70		
	200	PPRB40	150	170	180	230		
	250	PPRB4V	-	-	-	-		
	315	PPRB43	-	-	-	-		

Revisions-Bogen 87°		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPRB95	61	55	130	85		
	80	PPRB98	81	62	155	135		
	110	PPRB91	111	73	130	115		
	125	PPRB92	127	75	130	125		
	160	PPRB96	162	85	95	150		
	200	PPRB90	203	150	190	280		
	250	PPRB9V	-	-	-	-		
	315	PPRB93	-	-	-	-		

Revisions-Bogen links 45°		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPRL45	55	150	50	110		
	80	PPRL48	62	125	68	105		
	110	PPRL41	73	155	104	90		
	125	PPRL42	75	170	105	120		
	160	PPRL46	85	180	110	170		
	200	PPRL40	150	200	150	180		
	250	PPRL4V	-	-	-	-		
	315	PPRL43	-	-	-	-		


Revisions-Bogen rechts 45°		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPRR45	55	150	50	110		
	80	PPRR48	62	125	68	105		
	110	PPRR41	73	155	104	90		
	125	PPRR42	75	170	105	120		
	160	PPRR46	85	180	110	170		
	200	PPRR40	150	200	150	180		
	250	PPRR4V	-	-	-	-		
	315	PPRR43	-	-	-	-		


Revisions-Bogen links 87°		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPRL95	55	70	95	-		
	80	PPRL98	62	80	155	-		
	110	PPRL91	73	145	210	-		
	125	PPRL92	75	165	170	-		
	160	PPRL96	85	200	210	-		
	200	PPRL90	150	210	260	-		
	250	PPRL9V	-	-	-	-		
	315	PPRL93	-	-	-	-		


STARRES ABGASSYSTEM (STARR)


DN 60 – 315 mm


PPH

Revisions-Bogen rechts 87°		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPRR95	55	60	70	-		
	80	PPRR98	62	80	155	-		
	110	PPRR91	73	145	210	-		
	125	PPRR92	75	165	170	-		
	160	PPRR96	85	200	210	-		
	200	PPRR90	150	210	260	-		
	250	PPRR9V	-	-	-	-		
	315	PPRR93	-	-	-	-		

Schraubverbindungsteil		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPSV05	61	55	90	-		
	80	PPSV08	81	62	130	-		
	110	PPSV01	111	73	145	-		
	125	PPSV02	127	75	165	-		
	160	PPSV06	162	85	170	-		
	200	PPSV00	203	150	175	-		
	250	PPSV0V	-	-	-	-		
	315	PPSV03	-	-	-	-		

Kondensatfalle waagrecht/senkrecht		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPKF05	61	55	117	95		
	80	PPKF08	81	62	110	85		
	110	PPKF01	111	73	105	85		
	125	PPKF02	127	75	116	95		
	160	PPKF06	162	85	120	95		
	200	PPKF00	203	150	150	160		
	250	PPKF0V	-	-	-	-		
	315	PPKF03	-	-	-	-		


Wetterkragen		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPWS05	61	100	120	-	Kunststoff, schwarz, UV stabilisiert	
	80	PPWS08	81	75	120	-		
	110	PPWS01	111	135	135	-		
	125	PPWS02	127	-	-	-		
	160	PPWS06	162	-	-	-		
	200	PPWS00	203	-	-	-		
	250	PPWS0V	254	-	-	-		
	315	PPWS03	-	-	-	-		


Wetterkragen - konisch		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPWS55	61	230	200	-	Kunststoff, schwarz, UV stabilisiert	
	80	PPWS82	81	206	200	-		
	110	PPWS12	110	170	200	-		
	-	-	-	-	-	-		
	-	-	-	-	-	-		
	-	-	-	-	-	-		
	-	-	-	-	-	-		
	-	-	-	-	-	-		


STARRES ABGASSYSTEM (STARR)


DN 60 – 315 mm

PPH

Wetterkragen für Mantelrohr		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPWS5V	61	320	250	-	Kunststoff, schwarz, UV stabilisiert	
	80	PPWS8V	81	310	250	-		
	110	PPWS1V	111	290	250	-		
	125	PPWS2V	127	250	250	-		
	160	PPWS6V	162	230	250	-		
	200	PPWS0V	203	200	250	-		
	-	-	-	-	-	-		
	-	-	-	-	-	-		

Rohr ohne Muffe - Mündungsrohr		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	500 mm	60	PPRS55	495	-	-	-	Kunststoff, schwarz, UV stabilisiert
	80	PPRS58	500	-	-	-	-	
	110	PPRS51	500	-	-	-	-	
	125	PPRS52	500	-	-	-	-	
	160	PPRS56	500	-	-	-	-	
	200	PPRS50	800	-	-	-	-	
	250	PPRS5V	800	-	-	-	-	
	315	PPRS53	800	-	-	-	-	

Abgas-Schalldämpfer		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	500 mm	60	PPSD55	61	60	140	430	
		80	PPSD58	81	80	140	430	
		110	PPSD51	111	110	210	400	
		125	PPSD52	127	125	250	400	
		160	PPSD56	162	160	250	400	
		200	PPSD50	203	200	315	350	
	1000 mm	60	PPSD15	61	60	140	930	
		80	PPSD18	81	80	140	930	
		110	PPSD11	111	110	210	900	
		125	PPSD12	127	125	250	900	
		160	PPSD16	162	160	250	900	
		200	PPSD10	203	200	315	850	

Abstandhalter		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
	60	PPFR05	-	3	-	-	In der Spalte b ist die Segmentzahl des Abstandhalters aufgelistet	
	80	PPFR08	-	4	-	-		
	110	PPFR01	-	5	-	-		
	125	PPFR02	-	6	-	-		
	160	PPFR06	-	7	-	-		
	200	PPFR00	-	9	-	-		
	250	PPFR0V	-	11	-	-		
	315	PPFR03	-	14	-	-		

STARRES ABGASSYSTEM (STARR)

DN 60 – 315 mm

PPH

Kaminplatte universal		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
		60	PPKPU0	235	400	350	300	Kunststoff, schwarz, UV stabilisiert
		80	PPKPU0	235	400	350	300	
		110	PPKPU0	235	400	350	300	
		125	PPKPU0	235	400	350	300	
		160	PPKPU0	235	400	350	300	

Kaminabschluss starr (komplett)		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
		60	PPSAS5	495	400	350	300	Kunststoff, schwarz, UV stabilisiert
		80	PPSAS8	500	400	350	300	
		110	PPSAS1	500	400	350	300	
		125	PPSAS2	500	400	350	300	
		160	PPSAS6	500	400	350	300	
		200	PPSAS0	500	400	350	300	
		250	PPSASV	-	-	-	-	
		315	PPSAS3	-	-	-	-	



Kaminabschluss Edelstahl (komplett)		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
		60	ESTAS5	435	400	155	100	
		80	ESTAS8	377	400	150	125	
		110	ESTAS1	377	400	180	160	
		125	ESTAS2	-	400	-	-	
		160	ESTAS6	-	400	-	-	
		200	ESTAS0	-	400	-	-	
		250	ESTASV	-	-	-	-	
		315	ESTAS3	-	-	-	-	

Mess-Stück		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
		60	PPMS05	61	55	105	95	
		80	PPMS08	81	62	110	85	
		110	PPMS01	111	73	105	83	
		125	PPMS02	127	75	105	83	
		160	PPMS06	162	85	100	83	
		200	PPMS00	203	150	160	145	
		250	PPMS0V	-	-	-	-	
		315	PPMS03	-	-	-	-	



STARRES ABGASSYSTEM (STARR)

DN 60 – 315 mm

PPH

Hosenrohr		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz	
		Achsabstand 400 mm	80 / 2x60	PPHR58	-	-	-	-	
			110 / 2x60	PPHR51	-	-	-	-	
			110 / 2x80	PPHR81	-	-	-	-	
			125 / 2x60	PPHR52	-	-	-	-	
			125 / 2x80	PPHR82	-	-	-	-	
			125 / 2x110	PPHR12	-	-	-	-	
			160 / 2x60	PPHR56	-	-	-	-	
			160 / 2x80	PPHR86	-	-	-	-	
			160 / 2x110	PPHR16	-	-	-	-	
			160 / 2x125	PPHR26	-	-	-	-	
			200 / 2x60	PPHR50	-	-	-	-	
			200 / 2x80	PPHR80	-	-	-	-	
			200 / 2x110	PPHR10	-	-	-	-	
			200 / 2x125	PPHR20	-	-	-	-	
			200 / 2x160	PPHR60	-	-	-	-	

Information zu den Elemente DN 250 und 315 auf Anfrage.


Abdeckblende mit Hinterlüftung		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	e (mm)	Notiz
		60	ZUBL05	-	-	-	-	-	
		75	ZUBL07	-	-	-	-	-	
		80	ZUBL08	270	340	-	-	-	
		90	ZUBL09	-	-	-	-	-	
		110	ZUBL01	270	340	-	-	-	
		125	ZUBL02	270	340	-	-	-	
		140	ZUBL04	-	-	-	-	-	
		160	ZUBL06	270	340	-	-	-	
		200	ZUBL00	-	-	-	-	-	
		250	ZUBL0V	-	-	-	-	-	

STARRES ABGASSYSTEM (STARR)

DN 60 – 315 mm

PPH

Kesselanschluss konzentrisch		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
		60	PPKA51	50	63	63	140	
		60	PPKA52	63	63	65	140	
		60	PPKA53	70	63	70	145	
		60	PPKA54	75	63	70	145	
		60	PPKA55	80	63	80	165	
		80	PPKA01	60	68	65	150	
		80	PPKA02	63	68	55	145	
		80	PPKA03	70	68	70	145	
		80	PPKA04	75	68	45	115	
		80	PPKA23	100	68	100	183	
		80	PPKA24	110	68	100	185	
		80	PPKA81	125	68	100	185	
		110	PPKA41	60	63	65	140	
		110	PPKA42	63	63	65	140	
		110	PPKA43	70	63	70	140	
		110	PPKA07	75	63	45	160	
		110	PPKA08	80	63	57	152	
		110	PPKA09	100	63	70	145	
		110	PPKA26	125	63	100	175	
		110	PPKA10	130	63	65	150	
		110	PPKA11	150	63	90	200	
		110	PPKA25	153	63	100	200	
		125	PPKA06	80	75	80	200	
		125	PPKA12	100	75	70	185	
		125	PPKA13	110	75	86	185	
		125	PPKA14	130	75	65	75	
		125	PPKA15	150	75	90	185	
		125	PPKA16	153	75	90	200	
		125	PPKA38	160	75	100	200	
		125	PPKA39	200	75	150	240	
		160	PPKA61	80	85	70	200	
		160	PPKA17	100	85	95	260	
		160	PPKA18	110	85	95	250	
		160	PPKA19	125	85	90	240	
		160	PPKA20	130	85	65	220	
		160	PPKA21	150	85	90	175	
		160	PPKA22	153	85	90	175	
		160	PPKA62	180	85	100	195	
		160	PPKA63	200	85	150	250	
		200	PPKA32	100	150	100	300	
		200	PPKA30	110	150	100	300	
		200	PPKA35	125	150	100	290	
		200	PPKA31	130	150	65	245	
		200	PPKA33	150	150	90	260	
		200	PPKA34	153	150	90	300	
		200	PPKA27	160	150	100	290	
		200	PPKA28	180	150	100	280	
		200	PPKA36	225	150	150	310	
		200	PPKA37	250	150	150	330	




Information zu den Elementen DN 250 und 315 auf Anfrage.

STARRES ABGASSYSTEM (STARR)

DN 60 – 315 mm

PPH

Kesselanschluss exzentrisch		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
		60	PPKX51	50	63	63	140	
		60	PPKX52	63	63	65	140	
		60	PPKX53	70	63	70	145	
		60	PPKX54	75	63	70	145	
		60	PPKX55	80	63	80	165	
		80	PPKX01	60	68	70	150	
		80	PPKX02	63	68	55	145	
		80	PPKX03	70	68	70	145	
		80	PPKX04	75	68	100	187	
		80	PPKX23	100	68	100	198	
		80	PPKA24	110	68	100	255	
		80	PPKX81	125	68	100	185	
		110	PPKX41	60	63	65	160	
		110	PPKX42	63	63	65	160	
		110	PPKX43	70	63	70	155	
		110	PPKX07	75	63	45	125	
		110	PPKX08	80	63	57	145	
		110	PPKX09	100	63	70	145	
		110	PPKX26	125	63	100	165	
		110	PPKX10	130	63	65	130	
		110	PPKX11	150	63	90	155	
		110	PPKX25	153	63	100	165	
		125	PPKX06	80	75	80	155	
		125	PPKX12	100	75	70	145	
		125	PPKX13	110	75	85	160	
		125	PPKX14	130	75	65	140	
		125	PPKX15	150	75	90	165	
		125	PPKX16	153	75	90	165	
		125	PPKX38	160	75	100	175	
		125	PPKX39	200	75	150	225	
		160	PPKX61	80	85	70	155	
		160	PPKX17	100	85	95	180	
		160	PPKX18	110	85	95	180	
		160	PPKX19	125	85	90	180	
		160	PPKX20	130	85	65	150	
		160	PPKX21	150	85	90	175	
		160	PPKX22	153	85	90	175	
		160	PPKX62	180	85	100	185	
		160	PPKX63	200	85	150	235	
		200	PPKX32	100	150	100	250	
		200	PPKX30	110	150	100	250	
		200	PPKX35	125	150	100	250	
		200	PPKX31	130	150	65	215	
		200	PPKX33	150	150	90	240	
		200	PPKX34	153	150	90	240	
		200	PPKX27	160	150	100	250	
		200	PPKX28	180	150	100	250	
		200	PPKX36	225	150	150	300	
		200	PPKX37	250	150	150	300	




Information zu den Elementen DN 250 und 315 auf Anfrage.

STARRES ABGASSYSTEM (STARR)

DN 60 – 315 mm

PPH

Kesselanschluss mit Messöffnung		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
		60	PPKM51	50	63	92	77	
		60	PPKM52	63	63	92	77	
		60	PPKM53	70	63	97	82	
		60	PPKM54	75	63	97	82	
		60	PPKM55	80	63	117	102	
		80	PPKM01	60	68	97	82	
		80	PPKM02	63	68	95	77	
		80	PPKM03	70	68	95	77	
		80	PPKM04	75	68	65	47	
		80	PPKM23	100	68	130	115	
		80	PPKM24	110	68	135	117	
		80	PPKM028	125	68	135	117	
		110	PPKM051	60	63	105	95	
		110	PPKM631	63	63	105	95	
		110	PPKM43	70	63	105	90	
		110	PPKM07	75	63	112	97	
		110	PPKM08	80	63	110	92	
		110	PPKM09	100	63	97	82	
		110	PPKM26	125	63	115	100	
		110	PPKM10	130	63	102	87	
		110	PPKM11	150	63	120	105	
		110	PPKM25	153	63	120	105	
		125	PPKM06	80	75	140	125	
		125	PPKM12	100	75	130	110	
		125	PPKM13	110	75	130	110	
		125	PPKM14	130	75	130	110	
		125	PPKM15	150	75	130	110	
		125	PPKM16	153	75	140	125	
		125	PPKM062	160	75	160	145	
		125	PPKM002	200	75	190	185	
		160	PPKM61	80	85	190	175	
		160	PPKM17	100	85	190	175	
		160	PPKM18	110	85	180	165	
		160	PPKM19	125	85	175	155	
		160	PPKM20	130	85	95	80	
		160	PPKM21	150	85	120	105	
		160	PPKM22	153	85	120	105	
		160	PPKM186	180	85	120	105	
		160	PPKM006	200	85	190	175	
		200	PPKM100	100	150	250	235	
		200	PPKM30	110	150	250	235	
		200	PPKM35	125	150	240	225	
		200	PPKM130	130	150	190	175	
		200	PPKM150	150	150	180	165	
		200	PPKM530	153	150	170	150	
		200	PPKM27	160	150	180	160	
		200	PPKM28	180	150	180	160	
		200	PPKM220	225	150	210	200	
		200	PPKT250	250	150	210	200	




Information zu den Elementen DN 250 und 315 auf Anfrage.

STARRES ABGASSYSTEM (STARR)

DN 60 – 315 mm

PPH

Umlenk-T-Stück als KA m. MÖ		NW	Art.-Nr.	a (mm)	b (mm)	c (mm)	d (mm)	Notiz
		60	PPKT51	50	205	142	50	
		60	PPKT52	63	205	142	63	
		60	PPKT53	70	205	142	70	
		60	PPKT54	75	205	142	75	
		60	PPKT55	80	205	142	80	
		80	PPKT01	60	245	161	60	
		80	PPKT02	63	245	161	63	
		80	PPKT03	70	245	161	70	
		80	PPKT04	75	245	161	75	
		80	PPKT23	100	245	161	100	
		80	PPKT24	110	245	161	110	
		80	PPKT028	125	245	161	125	
		110	PPKT051	60	225	158	60	
		110	PPKT631	63	225	158	63	
		110	PPKT43	70	225	158	70	
		110	PPKT07	75	225	158	75	
		110	PPKT08	80	225	158	80	
		110	PPKT09	100	225	158	100	
		110	PPKT26	125	225	158	125	
		110	PPKT10	130	225	158	130	
		110	PPKT11	150	225	158	150	
		110	PPKT25	153	225	158	153	
		125	PPKT06	80	315	225	80	
		125	PPKT12	100	315	225	100	
		125	PPKT13	110	315	225	110	
		125	PPKT14	130	315	225	130	
		125	PPKT15	150	315	225	150	
		125	PPKT16	153	315	225	153	
		125	PPKT062	160	315	225	160	
		125	PPKT002	200	315	225	200	
		160	PPKT61	80	335	205	80	
		160	PPKT17	100	335	205	100	
		160	PPKT18	110	335	205	110	
		160	PPKT19	125	335	205	125	
		160	PPKT20	130	335	205	130	
		160	PPKT21	150	335	205	150	
		160	PPKT22	153	335	205	153	
		160	PPKT186	180	335	205	180	
		160	PPKT006	200	335	205	200	
		200	PPKT100	100	390	250	100	
		200	PPKT30	110	390	250	110	
		200	PPKT35	125	390	250	125	
		200	PPKT130	130	390	250	130	
		200	PPKT150	150	390	250	150	
		200	PPKT530	153	390	250	153	
		200	PPKT27	160	390	250	160	
		200	PPKT28	180	390	250	180	
		200	PPKT220	225	390	250	225	
		200	PPKT250	250	390	210	250	



Information zu den Elementen DN 250 und 315 auf Anfrage.